



Suction Lifter Overview

VERIBOR®



Be safe, be sure with Veribor®

Suction lifter

Parallel
carrying direction



⇧ 120 kg



VERIBOR®/with VG*



SUCTION PAD	ART. NO.
ø 213 mm	BO 601G

⇧ 120 kg



VERIBOR®/with VG*



SUCTION PAD	ART. NO.
ø 213 mm	BO 601

⇧ 120 kg



VERIBOR®/with VG*



SUCTION PAD	ART. NO.
ø 213 mm	BO 601.1BL

⇧ 110 kg



VERIBOR®/with VG*/ for slightly textured surfaces

SUCTION PAD	ART. NO.
ø 214 mm	BO 601.45

⇧ 100 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 603.021
2 pics in carrying case	BO S3.021

⇧ 90 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 603.1G

⇧ 90 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 180 mm	BO 608.1

⇧ 80 kg



VERIBOR®/with VG*/
min. radius 500 mm



SUCTION PAD	ART. NO.
ø 220 mm	BO 601.2

⇧ 75 kg



VERIBOR®/min. radius 750 mm

SUCTION PAD	ART. NO.
ø 150 mm	BO 603.2G

⇧ 70 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 602.0BL
with sealing lip	BO 602.02BL

⇧ 60 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 602.421
2 pics in carrying case	BO S2.421

⇧ 50 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 602.1G

⇧ 45 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 150 mm	BO 602.3G

⇧ 35 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 602.2G

Suction lifter

Vertical
carrying direction



⇧ 60 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 180 mm	BO 608.0

⇧ 30 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 600.0BL

⇧ 25 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 120 mm	BO 600.1G

⇧ 25 kg



VERIBOR®/with sealing lip

SUCTION PAD	ART. NO.
ø 120 mm	BO 600.02BL

⇧ 25 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 115 mm	BO 609.81

⇧ 15 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 80 mm	BO 609.0

⇧ 15 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 80 mm	BO 609.3

⇧ 10 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 80 mm	BO 609.80

⇧ 5 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 50 mm	BO 609.50

↑↑ 5 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 55 mm	BO 609.50

↑↑ 5 kg



with flexible connecting hose

SUCTION PAD	ART. NO.
ø 62 mm	BO 6200.05

↑↑ 2 kg



VERIBOR®

SUCTION PAD	ART. NO.
ø 30 mm	BO 609.30

Fixing aids

Ø 150 mm



VERIBOR®/with VG*

DRILL HOLE	ART. NO.
ø 6,5 mm	BO 600.215V
without VG*	BO 600.215

Ø 150 mm



VERIBOR®/for curved surfaces

VERSION	ART. NO.
with elongated hole	BO 6020.09

Ø 120 mm



VERIBOR®

VERSION	ART. NO.
with elongated hole	BO 6020.2G

Ø 120 mm



VERIBOR®

DRILL HOLE	ART. NO.
ø 6.5 mm	BO 600.20
stainless	BO 600.20R

Ø 120 mm



VERIBOR®/with sealing lip

DRILL HOLE	ART. NO.
ø 6.5 mm	BO 600.20S

Ø 120 mm



VERIBOR®/with VG* 

DRILL HOLE	ART. NO.
ø 6.5 mm · 16 Nm	BO 600.20V

Ø 120 mm



VERIBOR®

THREAD	ART. NO.
M8	BO 600.2G2
M10	BO 600.2G1

Ø 120 mm



VERIBOR®

VERSION	ART. NO.
M6 · Ball joint	BO 600.24

Ø 120 mm



VERIBOR®

VERSION	ART. NO.
ø 40 mm · 70 mm	BO 600.21

Ø 120 mm



VERIBOR®

VERSION	ART. NO.
with elongated hole	BO 6020.02

Ø 90 mm



VERIBOR®

VERSION	ART. NO.
with Ball joint	BO 600.94

Ø 90 mm



VERIBOR®/with VG* 

VERSION	ART. NO.
ø 6.6 mm · 8 Nm	BO 600.90V

Ø 90 mm



VERIBOR®/with VG* 

VERSION	ART. NO.
M8 · 8 Nm	BO 600.92V

Ø 90 mm



VERIBOR®

DRILL HOLE	ART. NO.
ø 6.6 mm · with countersink	BO 600.90
Thread M8	BO 600.92

Ø 90 mm



VetroLevel

VERSION	ART. NO.
with integrated spirit level	BO 5140450

Ø 80 mm



VERIBOR®

THREAD	ART. NO.
M8	BO 6221.01

Ø 62 mm



VERIBOR®/ different colours available from 500 pcs.

COLOUR	ART. NO.
black	BO 672.10
white	BO 672.0

Ø 55 mm



VERIBOR®

THREAD	ART. NO.
M6	BO 6223.01

Ø 55 mm



VERIFIX®

VERSION	ART. NO.
2 x M5	BO 633.11

Ø 55 mm



VERIFIX®/with release nubs

VERSION	ART. NO.
2 x M5	BO 633.13

Ø 55 mm



VERSION	ART. NO.
height 75 mm	BO 670.0

Ø 55 mm



VERSION	ART. NO.
Height adjustable	BO 670.1

Ø 37 mm



PVC

THREAD	ART. NO.
M4 x 6mm	BO 650.11

Ø 36.5 mm



VERIFIX®/with release nubs

DRILL HOLE	ART. NO.
2 x ø 3.2 mm	BO 650.11

Ø 124 mm



VERIBOR®

VERSION	ART. NO.
Seaming tool	BO 650.20

Ø 120 mm



VERIBOR®

VERSION	ART. NO.
Seaming tool	BO 650.30A
2 pics in carrying case	BO 650.32A

Transport Aids

Carpet Gripper



JOBO®/for all double floors with carpeting

ART. NO.
BO 619.9

160 kg



VERIBOR®

OPENING RANGE	ART. NO.
max 40 mm	BO 5000200

Corner Holder



PANEL THICKNESS	ART. NO.
max 30 mm	BO 680.30
max 60 mm	BO 680.60

Trolley



VERIBOR®

CARRYING CAPACITY	ART. NO.
300 kg	BO 680.0

Lifting Systems

180 kg
Liftmaster B1 Lifting System



with VG*

CARRYING CAPACITY	ART. NO.
180 kg	BO 88.01
Arm with tilting and rotating function	BO 88.026
Additional counterweight, 25 kg	BO 88.025
Double tyres	SP 88.027

180 kg Manual
Lifting Systems



with VG*

SUCTION PAD	ART. NO.
4 x 210 mm	BO B18DM4GS

300 kg - 800 kg
Liftmaster Quadro / Quadro Pro



with VG*

SUCTION PAD · CARRYING CAPACITY	ART. NO.
4 x 360 mm · 300 kg	BO B30DA4
4 x 360 mm · 400 kg	BO B40DA4
8 x 360 mm · 600 kg	BO B60DA8
8 x 360 mm · 800 kg	BO B80DA8



Parallel carrying direction



Vertical carrying direction

with VG* = vacuum gauge



Germany

Bohle AG
Dieselstraße 10
D - 42781 Haan

T +49 2129 5568-0
F +49 2129 5568-281

info@bohle.de
www.veribor.de

United Kingdom

Bohle Ltd. Fifth Avenue
Tameside Park
Dukinfield
Cheshire · SK16 4PP

T 0800 616151 (Freephone)
T +44 161 3421100
F +44 161 3440111

info@bohle.ltd.uk
www.bohle.com

South Africa

Bohle Glass Equipment (Pty) Ltd.
Unit 3, Graphite Industrial Park
Fabriek Street,
Strijdom Park 2125, Gauteng

T +27 11 792-6432
F +27 11 793-5634

info@bohle.co.za
www.bohle.com

 Bohle